


SHISH HEMP_Preroll_12PK Infused Preroll_3.6g_Emerald Oasis

Sample ID: HR20250890208
Strain: Emerald Oasis
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: ; Batch:

Produced:
Collected: 08/06/2025
Received: 08/06/2025
Completed: 08/11/2025
Batch#: H_SHP-EOS

Client
ESMH, LLC



Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	08/07/2025	Complete
Moisture	08/08/2025	9.57%
Water Activity	08/08/2025	Complete
Microbials	08/08/2025	Pass
Mycotoxins	08/08/2025	Pass
Pesticides	08/08/2025	Pass
Heavy Metals	08/08/2025	Pass
Foreign Matter	08/08/2025	Pass

CannabinoidsComplete

30.36%			ND		32.99%	
Total THC			Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	30.15	301.53	1085.51	90.46
Δ9-THC	0.15000	0.45000	ND	ND	ND	ND
Δ8-THC	0.14000	0.42000	ND	ND	ND	ND
THCV	0.15000	0.44000	ND	ND	ND	ND
CBDa	0.10000	0.31000	ND	ND	ND	ND
CBD	0.15000	0.45000	ND	ND	ND	ND
CBN	0.16000	0.50000	ND	ND	ND	ND
CBGa	0.29000	0.88000	2.69	26.90	96.84	8.07
CBG	0.13000	0.39000	0.28	2.79	10.04	0.84
CBC	0.14000	0.42000	ND	ND	ND	ND
Total THC			30.36	303.56	1092.82	91.07
Total CBD			ND	ND	ND	ND
Total			32.99	329.94	1187.80	98.98
Sum of Cannabinoids			37.03	370.34	1333.22	111.10

1 Unit = g, 3.6g, 0.083333 unit(s) per serving, 12 serving(s) per container.
Determination of Cannabinoids by HPLC, HL223
Total THC = Δ9-THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01.

Ming Li
Ming Li - General Manager
08/11/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

SHISH HEMP_Preroll_12PK Infused Preroll_3.6g_Emerald Oasis

Sample ID: HR20250890208

Strain: Emerald Oasis

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: ; Batch:

Produced:

Collected: 08/06/2025

Received: 08/06/2025

Completed: 08/11/2025

Batch#: H_SHP-EOS

Client

ESMH, LLC

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass
Fipronil	0.03	0.1	0.03	ND	Pass	Thiamethoxam	0.03	0.1	5	ND	Pass
Flonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2.

Ming Li

Ming Li - General Manager
08/11/2025

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

SHISH HEMP_Preroll_12PK Infused Preroll_3.6g_Emerald Oasis

Sample ID: HR20250890208

Strain: Emerald Oasis

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: ; Batch:

Produced:

Collected: 08/06/2025

Received: 08/06/2025

Completed: 08/11/2025

Batch#: H_SHP-EOS

Client

ESMH, LLC

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	5.8	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	ND	Pass
Isopropanol	2.03	6.14	5000	<LOQ	Pass
Methanol	2.26	6.86	3000	13.1	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	ND	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	0.5	Pass
Xylenes	2.86	8.68	2170	ND	Pass

ND = Not Detected; SOP HL231. Headspace GC-FID.

Ming

Ming Li - General Manager
08/11/2025

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

SHISH HEMP_Preroll_12PK Infused Preroll_3.6g_Emerald Oasis

Sample ID: HR20250890208

Strain: Emerald Oasis

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: ; Batch:

Produced:

Collected: 08/06/2025

Received: 08/06/2025

Completed: 08/11/2025

Batch#: H_SHP-EOS

Client

ESMH, LLC

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass

SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237.

Ming Li

Ming Li - General Manager
08/11/2025

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.